

Homework Assignment I

1. Let \mathcal{X} be a random variable distributed over the set $\{x_1, x_2, \dots, x_N\}$ with associated probabilities $\{P_1, P_2, \dots, P_N\}$.
 - a. Show that the entropy H of \mathcal{X} satisfies $0 \leq H \leq \log N$.
 - b. Find the necessary and sufficient conditions under which equality holds.
2. Let X denote a random variable distributed on the set $\{x_1, x_2, \dots, x_N\}$ with associated probabilities $\{P_1, P_2, \dots, P_N\}$. Let Y be another random variable defined on the same set but distributed uniformly. Show that

$$H(X) \leq H(Y)$$

with equality if and only if X is also uniformly distributed.

Hint : First prove the inequality $\ln w \leq w - 1$ with equality for $w = 1$, then apply this inequality to $\sum_{n=1}^N P_n \ln \frac{1/N}{P_n}$.

3. Design a Huffman code for a source with n output symbols and corresponding probabilities $\{\frac{1}{2}, \frac{1}{4}, \dots, \frac{1}{2^{n-1}}, \frac{1}{2^{n-1}}\}$. Show that the average codeword length for such a source is equal to the source entropy.
4. Show that $\{01, 100, 101, 1110, 1111, 0011, 0001\}$ cannot be a Huffman code for any source probability distribution. Suggest appropriate modifications in the code so that it becomes a legitimate Huffman code.

5. **Computer Assignment.** Go to the course webpage

<http://thanglong.ece.jhu.edu/Course/643/>

and download the QCIF sequence named `glasgow100.qcif`. Please also read the `format.txt` file to understand how a typical raw YCrCb video sequence is stored. Each pixel is represented by 1 byte (`unsigned char` in C) and takes on values 0 – 255. You can play these sequences using `splay.c`, `YUVplayer.exe`, or `CIFplayer.exe` – all available on the course webpage. A nice and simple image viewer `IrfanView` is also available. The file `utility.c` contains some simple routines that you may find useful.

a. Write a computer program to extract any luminance frame and output it as a `pgm` image given the video data and the frame index as inputs. The `pgm` format is a raw gray-scale image file with the following header:

P5

width height

255

where width and height are 176 and 144, respectively, in QCIF format.

b. Write a program to compute the entropies, the mean-square error, the peak signal-to-noise ratio, the mean absolute difference, and the maximum pixel error between any two given images or video frames.

c. Use the program above to compute the PSNRs between frame 0 and frames 1 to 30 of the *Glasgow* sequence. Plot the PSNRs as a function of time (index) difference. What do you observe from your plot?

Due date: **Feb. 21** in class